

PRESS RELEASE

Vicon introduces updated range of front mounted plain disc mowers

Highly responsive suspension concept with easy operation

20.08.2025, Nieuw-Vennep, The Netherlands



The updated Vicon 300F front mounted plain mower with compact design and a highly responsive suspension concept.

The updated range of front mounted plain mowers from Vicon is designed to tackle most demanding conditions with a highly responsive suspension concept while offering everyday reliability during operation.

EXTRA 300F - At the Forefront of Evolution

The launch of the new EXTRA 300F series represents a complete refreshment of the proven series of front mounted plain mowers from Vicon. New generation updates include direct tractor coupling without the need for an A-frame and a stronger driveline concept.

Adding a new 3.6m version to the range the EXTRA 300F series is now available in 3 working widths, 2.8m, 3.2m and 3.6m. In addition to offering more capacity the EXTRA 336F also provides additional overlap when operating the mower in combination with a butterfly mower.

Excellent ground following ability, easy and intuitive operation and a compact design makes the new EXTRA 300F series the ideal solution for even demanding mowing jobs. It is the ideal mower to go into several combinations with rear mounted mowers and loader wagons.

Highly Responsive Suspension Concept



The new Vicon EXTRA 300F series is designed to tackle demanding and challenging field conditions. The mowing unit moves independently from the tractor front linkage and has a remarkable adaptation range of 430mm upwards and 210mm downwards. Additionally, it offers a transverse pivoting range of 17° to cope with a wide spectrum of challenging field conditions.

The integrated NonStop BreakAway system protects mower and cutterbar when encountering obstacles in the field. It allows the mower to move backwards and up, letting the obstacle pass without risk of damage.

Simple Handling and Operation

All performance optimizing adjustments are simple and intuitively done on the new EXTRA 300F range. It offers a compact design that now easily connects to the tractor linkage without the need for an additional A-frame.

The new range comes with a two-speed driveline with simple adjustment of PTO speed from the standard setting of 1000rpm. By switching driveline pulleys, PTO speed can be changed to 750rpm for reduced fuel consumption or when using the mower for summer feeding in combination with a loader wagon.

Hydraulic folding of side guards for convenient conversion from work to transport is available as option.

Technical specifications:

Vicon	EXTRA 328F	EXTRA 332F	EXTRA 336F
Working width	2.8m	3.2m	3.6m
Weight	725 kg	760kg	820kg
Power req. min. (hp/kW)	35/26	40/29	50/37

Number of characters including spaces: 2593

Vicon is a brand of Kverneland Group

Kverneland Group is a leading international company developing, producing and distributing agricultural implements, electronic solutions and digital services. Productivity, efficiency, and sustainability are three important principles in today's agriculture, driving us every day to continuously develop our Agricultural Implement Technology. Kverneland Group offers an innovative range of soil and seeding equipment, forage and bale equipment, spreading, spraying, electronic solutions and digital farm services for agricultural tractors and implements. For more information on Kverneland Group, visit www.kvernelandgroup.com

-- END --


[Download high resolution images](#)



Vicon EXTRA 300F series is available in 2.8, 3.2 and 3.6m working widths



Direct tractor coupling without the need of an A-frame



The mowing unit has an adaptation range of 430mm upwards and 210mm downwards

For Details, Contact:

Stefan Zimmermann
Product Manager, Disc Mowers
Kverneland Group Kerteminde AS

Mobile: + +49 15209196745
E-Mail: stefan.zimmermann@kvernelandgroup.com

Vicon on Social Media



iM FARMING on Social Media

